




Catalog Index 2025



The Company

Panel was founded in industrial automation company. capturing a specific market need: the need for specialization in humanmachine interface. Over the next twenty years, Panel has gradually consolidated itself as a point of reference in the Human-Machine Interface sector at an international level

Web site

www.panel.it

Contacts

+39 0536 808519 info@panel.it



Our values



Reliability

With thousands of installations in diverse industrial sectors, Panel's reliability is confirmed by the trust of our customers, which are some of the most famous brands in the world.

A solid partner, always ready to support you with quality and professionalism.



Continuity

Panel can guarantee continuity of supply over time. A Panel product is an investment protected by assistance maintenance service that makes it last a long time. Industrial PCs designed to guarantee uninterrupted operations, even in the most demanding contexts.



Flexibility

In Panel we offer customized solutions for the specific needs of each industrial project, even the most challenging.

Flexibility also means the ability to listen to the customer, promptness in assembly on request and rapid delivery anywhere in Italy and Europe.



Innovation

At the heart of commitment: designing industrial **PCs** anticipate the challenges of the future, ensuring excellent performance and total adaptability. Choosing our PCs means investing in quality and technology that evolves with your business.



Our expertise

We offer cutting-edge technology solutions, designed to withstand the most industrial conditions.

Our experience and commitment to reliability and customization guarantee your business a superior performance and continuous support.

- Customized solutions
- Dedicated consultants
- Stability and quality
- High performances


Our Distinctive Features

Top Quality Components

Panel PCs and monitors have the best components on the market.

High quality standards are synonymous with efficiency, durability and therefore reliability.









Testing Process

Each product is subjected to meticulous rigorous testing. designed quarantee impeccable performance even in the most extreme conditions and to withstand temperatures, vibrations and heavy loads, ensuring reliability.

Made in Italy

All Panel products are Made in Italy. From design to production, everything is done in Italy, following the best construction parameters by our experts.









Assistance in Italy

Assistance in Italy means flexibility and speed: we respond to every need, guaranteeing timely interventions to minimize downtime.

Support always at hand, close to you.

Custom Projects

We also design and offer customized solutions for the specific needs of each industrial project.

Every detail is designed to optimize performance.





Trusted by Leaders


Panel is the reference technology partner for leading companies in the industry, in Italy and internationally.

Our industrial PCs fuel the innovation of global companies, which choose us for the reliability, flexibility and certified quality of our solutions.

Collaborating with the big ones imposes extremely high standards on us: a daily challenge that we face with skill, vision and passion.

Where excellence is the rule, Panel is the technology you can rely on.









Made in Italy, operating Worldwide



With a sales network rooted in Italy and constantly expanding, Panel consolidates its presence also in Europe, now in Spain and Slovenia.

Our ability to support international customers and to adapt to the needs of different markets makes us the ideal partner for industrial PC solutions all over the world.

We expand our network every day to be ever closer to those who choose innovation, wherever they are.



Italian technology, international standards

Panel industrial PCs are chosen by numerous international companies because they are designed to meet the regulations and technical needs of foreign markets.

Most of our systems are already successfully used abroad, demonstrating the construction quality and full compliance with global standards.

A significant portion of our production is exported for these very reasons: reliability, quality and certifications - including UR/CSA - which make our systems perfectly suitable for use in international industrial plants, including the United States and Canada.

Panel is synonymous with Italian technology that works safely and successfully in the most demanding industrial contexts in the world.







Custom solutions

Made for your needs

The experience gained over the years of activity, the wide range of products. and an extremely qualified technical/commercial team, makes Panel products the ideal solution for various applications.

We offer our customers solutions based on specific requests and for any work environment.

Our customizations offer possibility of creating industrial PCs and box PCs perfectly adapted to the unique needs of your sector.





From mechanical design to component selection, our team offers qualified and rapid services.

Thanks to our experience, we can create solutions that integrate perfectly into your operating environment, optimize processes and to support the growth of your business.





Imagine your ideal solution...



...and we'll build it for you!

Custom front panels

User-friendly graphics

The wide range of products, the flexibility of configuration, and the very high reliability, make Panel products the ideal solution for various applications, industrial and nonindustrial. even in particularly harsh environments.

Panel also innovates in style. Thanks to an exclusive technology, customers can customize the front panel of their PCs and monitors with graphics, logos, colors and symbols making them unique and identifying their company.

A service created internally, guaranteed in short times and also available for orders of a few units.





PANEL PC

PSG Series



Capacitive Touch Screen

10.1" to 21.5" Display

Capacitive touch screen

CPU Intel N97 and Core Ultra 5 125H


Internal power supply 24VDC or 110-230 VAC

IP66 protection grade

Operating temperature 0-50°C; 0-45°C

Customizable panel

CE, cURus certification





















FANLESS **Industrial PCs for panel mounting** in compact version and equipped with displays from 10.1" to 21.5", both in compact and Widescreen form. Also Full HD resolution.

Ideal for industrial environments, even in the most extreme. Thanks to the flexibility of configuration, the **PSG** series can be supplied with a wide range of CPUs, making them the ideal solution for industrial automation applications and beyond.

All configurations can include internal 24 VDC or 110-230 VAC power supply. The front panel, with IP66 protection rating, is made of black silk-screened tempered glass with an aluminum edge and a multi-touch rear-projected capacitive touch screen.







PSG2 Series

	. 552 5555			
PRODUCT ID	FD	FE		
DISPLAY	17" 1280: 18.5" 1366: 1920:	x600 x768 x768 x768 Wide x1080 Wide x1024		
TOUCH TYPE	Projected capa	acitive multi touch		
СРИ	Intel N97	Intel Core Ultra 5 125H		
OS SUPPORTS	Windows 10 64 bit Windows 11 64 bit Linux			
STORAGE	1x 2	2.5" SSD		
EXPANSION SLOTS	1x Full Mini PCIe 1x M.2	2x M.2		
SERIAL PORTS	Up to 2x RS232/422/485 Up to 2x RS232	Up to 2x RS232/422/485 Up to 1x RS232		
USB PORTS	Up to 2x USB 3.2 Up to 2x USB 2.0	2x USB 3.2 2x USB 2.0 2x USB 3.2 (Type C)		
AUDIO I/O	1x Line-out	N/A		
VIDEO OUTPUT	2x HDMI	1x HDMI 1x DP		
LAN PORTS	2x RJ45 2.5 Gigabit LAN	1x RJ45 2.5 Gigabit LAN 1x RJ45 Gigabit LAN		
POWER SYSTEM	24 VDC 110-230 VAC *			
OPERATING TEMPERATURE	0-50°C ; 0-45°C with Intel Core Ultra 5			
FRONTAL PANEL PROTECTION	IP66			
SAFETY	CE; cURus			

^{*} Except for 10.1"

PANEL PC

PSR Series

Resistive Touch Screen

8" to 21.5" Display

Resistive touch screen

CPU Intel N97 and Core Ultra 5 125H

Internal power supply 24VDC or 110-230 VAC

IP66 protection grade

Operating temperature 0-50°C: 0-45°C

Customizable panel

CE, cURus certification



























FANLESS industrial PCs for panel mounting in compact version and equipped with displays from 8" to 21.5", both in 4:3 and 16:9 versions, and Full HD resolution.

Ideal for industrial environments, even in the extreme ones. Thanks to the flexibility of configuration, the PSR series can be supplied with a wide range of CPUs, making them the ideal solution for industrial automation applications and beyond.

All configurations can include internal 24 VDC or 110-230 VAC power supply. The front panel, with IP66 protection rating, is made of anodized aluminum, with USB port and 5wire resistive touch screen.







PSR1 Series

PRODUCT ID	FD		FE
DISPLAY	8" 800x600(FD) 10.1" 1024x600(FD) Wide 10.4" 800x600 12.1" 800x600 1024x768 15" 1024x768 15" 1024x768 15.6" 1366x768 Wide 1920x1080 Wide 17" 1280x1024 18.5" 1366x768 Wide 1920x1080 Wide 21.5" 1920x1080 Wide		
TOUCH TYPE	5 \	Wire resi	istive touch
СРИ	Intel N97 Intel Core Ultra 5 125H		
OS SUPPORTS	Windows 10 64 bit Windows 11 64 bit Linux		
STORAGE	1x M.2 SSD* 1x 2.5" SSD		1x 2.5" SSD
EXPANSION SLOTS	1x Full Mini PCle 1x M.2		2x M.2
SERIAL PORTS	Up to 2x RS232/422/485 Up to 2x RS232	Up to 2x RS232/422/485 Up to 1x RS232	
USB PORTS	2x USB 3.2 2x USB 3.2 3x USB 2.0 2x USB 3.2 (Type C)		3x USB 2.0
AUDIO I/O	1x Line-out		N/A
VIDEO OUTPUT	2x HDMI 1x DP		
LAN PORTS	2x RJ45 2.5 Gigabit LAN 1x RJ45 2.5 Gigabit LAN 1x RJ45 Gigabit LAN		
POWER SYSTEM	24 VDC 110-230 VAC **		
OPERATING TEMPERATURE	0-50°C ; 0-45°C with Intel Core Ultra 5		
FRONTAL PANEL PROTECTION	IP66		
SAFETY	CE ; cURus		

^{*} Only for 8" and 10.1"
** Except for 8" and 10.1"

ARM PC & MONITOR

Serie PAC - PC Serie PAM - Monitor



Capacitive Touch Screen

15.6" to 21.5" Display

Capacitive touch screen

CPU Intel N97 and Core Ultra 5 125H

Internal power supply 24VDC

Full IP65 protection degree

Operating temperature 0-50°C: 0-45°C

Customizable panel

Button panel up to 12 Standard Ø 22 elements

VESA 100 Standard Suspension Mounting



Available in suspended Monitor version PAM2 Series
























TOTAL PROTECTION - FANLESS industrial PCs and monitors, extremely compact. IP65 on the entire machine body and therefore suitable even for the most demanding industrial environments.

BUTTON PANEL Ø 22 - The button panel is designed for up to 12 standard Ø 22 elements to be wired and not on an electronic circuit, allowing maximum freedom of choice and interchangeability.

STANDARD VESA - The suspension mounting provision is both from above and from below through a STANDARD VESA 100 attachment, in order to guarantee maximum freedom in the choice of the suspension system and without constraints on proprietary attachments.

PAC2 Series

PRODUCT ID	FD	FE		
DISPLAY	15.6" 1366x768 Wide 1920x1080 Wide 18.5" 1366x768 Wide 1920x1080 Wide 21.5" 1920x1080 Wide			
TOUCH TYPE	Projected capaciti	ve multi touch		
CPU	Intel N97	Intel Core Ultra 5 125H		
OS SUPPORTS	Windows 10 64 bit Windows 11 64 bit Linux			
STORAGE	1x 2.5"	SSD		
EXPANSION SLOTS	1x Full Mini PCle 1x M.2			
SERIAL PORTS	Up to 2x RS232/422/485			
USB PORTS	2x USB 3.2 2x USB 2.0	2x USB 3.0 2x USB 2.0 2x USB 3.2 (Type C)		
AUDIO I/O	1x Line-out	N/A		
VIDEO OUTPUT	2x HDMI	1x HDMI 1x DP		
LAN PORTS	2x RJ45 2.5 Gigabit LAN	1x RJ45 2.5 Gigabit LAN 1x RJ45 Gigabit LAN		
POWER SYSTEM	24 VDC			
OPERATING TEMPERATURE	0-50°C ; 0-45°C with Intel Core Ultra 5			
KEYS	Up to 12 Ø 22 elements			
PROTECTION GRADE	Full IP65			
SAFETY	CE			

PAM2 Series

PRODUCT ID	
DISPLAY	15.6" 1366x768 Wide 1920x1080 Wide 18.5" 1366x768 Wide 1920x1080 Wide 21.5" 1920x1080 Wide
TOUCH TYPE	Projected capacitive multi touch
POWER SYSTEM	24 VDC
KEYS	Up to 12 Ø 22 elements
VIDEO INPUT	1x VGA 1x DVI
OPERATING TEMPERATURE	0-50°C
PROTECTION GRADE	Full IP65
SAFETY	CE

VESA PC

PVG - PVR Series



Capacitive - Resistive Touch Screen

15" to 21.5" Display

Capacitive or resistive touch screen

CPU Intel N97

Internal power supply 24VDC or 110-230 VAC

Degree of protection IP30* *IP 66 on front panel

Operating temperature 0-50°C

Customizable panel

VESA 100 Mounting
























Industrial PCs for VESA mounting, available with multi-touch or resistive rear-projected capacitive touch screen.

Versatile and practical, these PCs can be easily integrated into existing systems thanks to VESA support. Extremely compact and completely **FANLESS**, they are also available in Widescreen form. Resolutions also Full HD.

The VESA series PCs are equipped with the latest generation CPUs, capable of providing high performance which, combined with very low consumption, are the ideal solution for industrial automation applications and beyond.



PVR Series

PVG Series

PRODUCT ID	FD	FD	
DISPLAY	15" 1024x768	15.6" 1366x768 Wide 1920x1080 Wide 17" 1280x1024 18.5" 1366x768 Wide 1920x1080 Wide 21.5" 1920x1080 Wide	
TOUCH TYPE	5 Wire resistive touch	Projected capacitive multi touch	
СРИ	Intel	N97	
OS SUPPORTS	Windows 10 64 bit Windows 11 64 bit Linux		
STORAGE	1x 2.5" SSD		
EXPANSION SLOTS	1x Full Mini PCle 1x M.2		
SERIAL PORTS	Up to 2x RS232/422/485 Up to 2x RS232		
USB PORTS	2x USB 3.2 2x USB 2.0		
AUDIO I/O	1x Line-out		
VIDEO OUTPUT	2x HDMI		
LAN PORTS	2x RJ45 10/100/1000 Gigabit LAN		
POWER SYSTEM	24 VDC 110-230 VAC		
OPERATING TEMPERATURE	0-50°C		
PROTECTION GRADE	IP30 *		
SAFETY	CE		

^{*} IP66 On front panel

INOX PC

PVS Series

Capacitive Touch Screen

15" to 18.5" Display

Capacitive touch screen

CPU Intel N97

Internal power supply 24VDC or 110-230 VAC

Full IP67 protection grade

Operating temperature 0-50°C

Customizable panel

Entirely in AISI 304 stainless steel





















Fully FANLESS industrial PCs, made of AISI 304 stainless steel with total IP67 protection, for VESA mounting.

Extremely compact, they are equipped with **LED displays** and are available with a **multitouch** rear-projected capacitive touch screen.

Thanks to the multiple configurations available and latest-generation CPUs, capable of providing high performance combined with very low consumption, they are the **ideal solution for food, pharmaceutical and chemical applications**.









PVS Series

PRODUCT ID	FD FD	
DISPLAY	15" 1024x768 15.6" 1366x768 Wide 1920x1080 Wide 17" 1280x1024 18.5" 1366x768 Wide 1920x1080 Wide	
TOUCH TYPE	Projected capacitive multi touch	
CPU	Intel N97	
OS SUPPORTS	Windows 10 64 bit Windows 11 64 bit Linux	
STORAGE	1x 2.5" SSD	
SERIAL PORTS	Up to 2x COM Ports	
USB PORTS	Up to 2x USB 2.0	
LAN PORTS	Up to 2x RJ45 2.5 Gigabit LAN	
POWER SYSTEM	24 VDC 110-230 VAC	
OPERATING TEMPERATURE	0-50°C	
MATERIAL	AISI 304 Stainless steel	
PROTECTION GRADE	Full IP67	
SAFETY	CE	

BOX PC

Slim Box Series



Latest generation CPU

Extra compact design

Internal power supply 24VDC

Operating temperature 0-50°C

For DIN rail, inside panel or table mounting






















Industrial **BOX PCs** for DIN rail mounting, inside a panel or table. Thanks to their design and extremely flexible configuration, solutions can be obtained for multiple types of use with **CPUs with high computing power**, completely **FANLESS**.

Panel's industrial BOX PCs are **robust and compact solutions** designed to guarantee high performance and offer efficient management of automated processes thanks to their versatility in integrating with complex machinery and systems.

With advanced computing power and support for multiple interfaces, these devices ensure continuous and uninterrupted operation, optimizing productivity. Combined with monitors, they are ideal for applications in sectors such as manufacturing, logistics and automation, BOX PCs are easy to customize to meet specific needs, improving efficiency and time.







	PAB123	PAB124	PAB223	PAB224	PAB323
PRODUCT ID					
СРИ	Intel Pentiu	Intel Pentium N4200 Intel Celeron J6412		on J6412	Intel Core i5-1135G7B
OS SUPPORTS	Windows 10 64 bit Windows 10 64 bit Linux Linux Linux				
STORAGE	1x M.2 SSD 1x 2.5" SSD (optional)			1x M.2 SSD 1x 2,5" SSD (optional) RAID 0/1 option available	
EXPANSION SLOTS	1x Mini PCIe half size			1x Mini PCIe full size	
SERIAL PORTS	1x RS232/422/485 1x RS232	N/A	2x RS232/422/485	N/A	2x RS232/422/485
USB PORTS	2x USB 2.0 4x USB 3.2 2x USB 3.0 2x USB 2.0				
AUDIO I/O		Line-0	Out		N/A
VIDEO OUTPUT	1x VGA 1x HDMI				
LAN PORTS	2x RJ45 Gigabit LAN	4x RJ45 Gigabit LAN	2x RJ45 Gigabit LAN	4x RJ45 Gigabit LAN	2x RJ45 Gigabit LAN 2x RJ45 Gigabit LAN (Optional)
POWER SYSTEM	24 VDC				
OPERATING TEMPERATURE	0-50°C				
SAFETY	CE				

MONITOR PMG - PMR Series



Capacitive - Resistive Touch Screen

12.1" to 21.5" Display

Wide screen or 4:3 format

Capacitive or resistive touch screen

Internal power supply 24VDC or 110-230 VAC

IP66 protection grade

Operating temperature 0-50°C

Customizable panel

VESA or Panel Mounting











PMG Series













PMR Series

Industrial panel mounting monitors with 12.1" to 21.5" wide screen displays with LED backlight and excellent resolution. Available with both 24VDC and 230VAC power supply and featuring high brightness, a wide viewing angle and the possibility of connection via VGA or DVI port.

The PMG and PMR series are the ideal solution for supervision and control in even critical industrial environments.

The PMG front panel, with IP66 protection rating, is made of black silk-screened tempered glass with an aluminium edge and a multi-touch rear-projected capacitive touch screen.

The PMR front panel, in anodized aluminum and with IP66 protection rating, is equipped with a 5wire resistive touch screen.











PMG3 Series

PMR2 Series

PRODUCT ID				
		800x600 1024x768		
	15"	1024x768		
DISPLAY		1366x768 Wide 1920x1080 Wide		
2.0. 2	17"	1280x1024		
		1366x768 Wide 1920x1080 Wide		
	21,5"	1920x1080 Wide		
TOUCH TYPE	Projected capacitive multi touch		5 Wire resistive touch	
FRONT USB PORTS	N/A		1x USB 2.0	
POWER		24 VDC		
SYSTEM		110-230 VAC		
VIDEO INPUT	1x VGA			
	1x DVI			
OPERATING TEMPERATURE	0-50°C			
FRONTAL PANEL PROTECTION	IP66			
SAFETY	CE			

REMOTED MONITOR

PRG - PRR Series



Capacitive - Resistive Touch Screen

Network connection up to 100 meters and over

12.1" to 21.5" Display

Capacitive or resistive touch screen


Internal power supply 24VDC

IP66 protection grade

Operating temperature 0-50°C

Customizable panel

DIN guide mounting































Industrial monitor for panel mounting with remote control system via LAN network with coverage up to 100 meters and over, LED backlit with excellent resolution. Ideal solution for supervision and control, even in machines or systems where there are many disturbances or where it is necessary to cover very long distances between PC and monitor. Possibility of connection also through the company network.

The PRG front panel, with IP66 protection rating, is made of black silk-screened tempered glass with an aluminium edge and a multi-touch rear-projected capacitive touch screen.

The **PRR** front panel, in anodized aluminum and with **IP66** protection rating, is equipped with a 5wire resistive touch screen.



Connection through the company network



Resistive

PRR Series

PRG3 Series

PRR2 Series

PRODUCT ID			
	12.1"	800x600 1024x768	
	15"	1024x768	
DISPLAY	15.6"	1366x768 \ 1920x1080	
	17"	1280x1024	
	18.5"	1366x768 1920x1080	
	21.5"	1920x1080	Wide
TOUCH TYPE	Projected capacitive multi touch		5 Wire resistive touch
FRONT USB PORTS	N/A	I/A 1x USB 2.0	
POWER SYSTEM	24 VDC		
REAR INPUT	1x USB 2.0		
VIDEO INPUT	1x LAN		
OPERATING TEMPERATURE	0-50°C		
FRONTAL PANEL PROTECTION	IP66		
SAFETY	CE		



Support and assistance

Our team of experts is always ready to guide you in choosing the solution that best suits your needs, ensuring timely and **personalized assistance at every stage of the process**.

- The sales consultancy is always available to offer you a personalized experience, guiding you in choosing the ideal solution for your industrial needs.
- The **after-sales technical assistance service** is able to support with professionalism and speed the issues regarding the entire range of Panel products.

With our consultants and dedicated maintenance, you can be sure that your systems will always be perfect for your situation, operational and optimized at their best. We are at your side, before and after the purchase, to guarantee you a worry-free experience.













Sales consultancy +39 0536 808519 info@panel.it





Technical assistance service +39 0536 808519 support@panel.it





FORWARD THINKING



MADEINITALY



PANEL S.R.L. Via Madrid 18 41049 Sassuolo, MO

P.I. 03301520361 +39 0536 808519 info@panel.it

www.panel.it

The information given in this document contains only descriptions and performance features, which may not always correspond to what is described or may change due to product developments. Any requested information is binding only when expressly agreed in terms of contracts.

All specifications are subject to change without prior notice. Names and labels mentioned may be registered trademarks owned by Panel S.r.l. or supplier companies, whose use by third parties could violate the rights of the owner.